

SAFETY DATA SHEET

RESIST X EXTRA
According to EC Regulation 1907/2006/EC - revision 2015/830

Print Date 29/01/2019

Creation Date 02/02/2015

Revision No. 3.2
Revision Date 21/01/2019

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Product Name RESIST X EXTRA
Product Code 10247370X1 (CLP)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Protective Coating.

1.3. Details of the supplier of the safety data sheet

NCH UK & Ireland, NCH House, Springvale Avenue, Bilston, WV14 0QL Tel (UK): 01902 510200, Tel (Ireland): 042 939 5502
E-mail address technical_uk@nch.com
Website address www.ncheurope.com

1.4. Emergency telephone number

UK - 01902 510200 (available during Office Hours)
In Republic of Ireland (available from 8am to 10pm daily): 01 809 2166

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

Aspiration hazard: Category 1
H304 - May be fatal if swallowed and enters airways
EUH066 - Repeated exposure may cause skin dryness or cracking.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

Contains HYDROCARBONS, C12-C15, ALKANES.

Hazard pictograms



Signal word DANGER

Hazard Statements

H304 - May be fatal if swallowed and enters airways

EU classification for GHS template

EUH066 - Repeated exposure may cause skin dryness or cracking.

Precautionary Statements

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

P331 - Do NOT induce vomiting

For industrial and institutional use only.

Keep out of reach of children.

2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

3.2 Mixture

Chemical Name	CAS-No.	EC No.	EU - REACH reg number	Weight-%	EU - GHS/CLP Classification	Notes
HYDROCARBONS, C12-C15, ALKANES	64742-47-8	265-149-8	01-2119456620-43	50 - 100	Asp. Tox. 1 (H304)	
LUBRICATING OILS	74869-22-0	278-012-2	01-2119495601-36	10 - < 20	-	L
SODIUM PETROLEUM SULPHONATE	68608-26-4	271-781-5	01-2119527859-22	3 - < 5	Eye Irrit. 2 (H319)	

CALCIUM PETROLEUM SULPHONATE	61789-86-4	263-093-9	01-2119488992-18	1 - < 3	Eye Irrit. 2 (H319)	
------------------------------	------------	-----------	------------------	---------	---------------------	--

This mixture contains substances with a Community workplace exposure limit. For any H statements mentioned in this section, see the full text in section 16.

EU Notes

Note L - The classification as a carcinogen does not apply as the substance contains less than 3% DMSO extract (IP 346)

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice

Avoid breathing vapours or mists. Get medical attention immediately if symptoms occur.

Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician immediately.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth with water. If swallowed, do not induce vomiting - seek medical advice. Aspiration hazard if swallowed - can enter lungs and cause damage.

Inhalation

If problems with breathing occur, move to fresh air. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation

No information available.

Eye contact

May cause irritation as itching and redness.

Skin contact

Prolonged contact will dry and defat the skin and may cause irritation such as itching and redness.

Ingestion

Aspiration into lungs on ingestion or vomiting may cause broncopneumonia or pulmonary oedema which can be fatal.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract. May cause headaches, dizziness, drowsiness and nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically. Aspiration hazard if swallowed - can enter lungs and cause damage.

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use: Dry powder. Alcohol-resistant foam. Water spray.

Extinguishing media which must not be used for safety reasons

Water jet.

5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

Material can create slippery conditions.

5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions. Ventilate the area. See section 8. Remove all sources of ignition. Evacuate personnel to safe areas.

6.2. Environmental precautions

Avoid release of neat product into surface water and sanitary sewage system. Prevent further leakage or spillage if safe to do so. Insoluble in water and hence will float on the surface.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Remove all sources of ignition.

Methods for Cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

Refer to sections 7, 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid breathing vapours or mists. Do not eat, drink or smoke when using this product. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Never siphon by mouth. Ensure adequate ventilation.

Use of secondary containment is recommended i.e impermeable floors / surfaces which will help contain any spills.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Store in accordance with local regulations.

7.3. Specific end use(s)

No information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

If vapours, fumes or mists are generated, their concentration in the workplace area should be kept to the lowest reasonable level. For substances.

Chemical Name	European Union	The United Kingdom	France	Germany	Austria
HYDROCARBONS, C12-C15, ALKANES				Peak: 40ppm Peak: 280mg/m ³ TWA: 20ppm TWA: 140mg/m ³	
CALCIUM PETROLEUM SULPHONATE				Peak: 20mg/m ³ TWA: 5mg/m ³	

8.2. Exposure controls

Engineering Measures

Local ventilation is suggested to control exposure from operations that can generate significant levels of vapour, mist or fumes.

Personal Protective Equipment

Use personal protection equipment as per Directive 89/686/EEC.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection. Conforming to EN 14387 (organic vapours). Do not breathe vapours or spray mist.

Hand Protection

Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Solvent-resistant gloves (butyl-rubber). Fluorinated rubber. Polyvinyl alcohol. Minimum breakthrough time of the glove material (protective index 4, breakthrough time: >120 min). For break through times, refer to glove manufacturers recommendations.

Eye Protection

Safety glasses if the method of use presents the likelihood of eye contact.

General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practise. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

Appearance	Brown	Specific Gravity	0.83
Physical State	Liquid	Solubility	Insoluble in water
Odour	Hydrocarbon	Autoignition Temperature	No information available.
pH	Not applicable.	Viscosity	< 7cst (40°C)
Melting Point/Range	No information available.	Explosive properties	No information available
Flash Point	77 °C	Oxidizing Properties	No information available.
Method	Closed cup	VOC Content (%)	64.2%
Evaporation Rate	No information available.		

Flammability Limits in Air %	No information available.
Vapor Pressure	No information available.
Vapor Density	No information available.

9.2. Other information

No other information available

SECTION 10. STABILITY AND REACTIVITY**10.1. Reactivity**

Not considered as highly reactive. See further information below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use.

10.4. Conditions to avoid

Heat, flames, and sparks.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous decomposition products

None under normal storage conditions and use.

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

SECTION 11. TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**Product Information

The product itself has not been tested.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
HYDROCARBONS, C12-C15, ALKANES	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
LUBRICATING OILS	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
CALCIUM PETROLEUM SULPHONATE	> 5000 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	

Sensitisation

No information available.

Skin contact

Prolonged contact will dry and defat the skin and may cause irritation such as itching and redness.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract. May cause headaches, dizziness, drowsiness and nausea.

Ingestion

Aspiration into lungs on ingestion or vomiting may cause broncopneumonia or pulmonary oedema which can be fatal.

Eye contact

May cause irritation as itching and redness.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction.

SECTION 12. ECOLOGICAL INFORMATION**12.1. Toxicity**Product Information

The product itself has not been tested.

Ecotoxicity effects

Contains substance(s) known to be hazardous to the aquatic environment.

Chemical Name	Toxicity to Fish	Water Flea	Toxicity to Algae
HYDROCARBONS, C12-C15, ALKANES	LC50 = 45 mg/L Pimephales promelas 96 h LC50 = 2.2 mg/L Lepomis macrochirus 96 h LC50 = 2.4 mg/L Oncorhynchus mykiss 96 h		
LUBRICATING OILS	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	1000: 48 h Daphnia magna mg/L EC50	
CALCIUM PETROLEUM SULPHONATE	LC50 5.7 - 9.7 mg/L Pimephales promelas 96 h LC50 1.0 - 10.0 mg/L Pimephales promelas 96 h	6.2 - 12: 48 h Daphnia magna mg/L EC50	

12.2. Persistence and degradability

Inherently biodegradable to OECD 302 A-C.

12.3. Bioaccumulative potential

There is no test data on any of the components of this mixture. Bioaccumulation unlikely due to the high volatility of the product.

12.4. Mobility in soil

The product is insoluble and floats on water. This preparation is volatile and will readily evaporate to the air if released into the environment.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

12.6. Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Recycle according to official regulations. For empty containers - Do not weld, solder, braze, grind etc.. Do not expose to heat, flames, sparks or other sources of ignition.

EWC waste disposal No

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process

The following EWC/ AVV waste codes may be applicable:

07 07 04* other organic solvents, washing liquids and mother liquors

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

SECTION 14. TRANSPORT INFORMATION**14.1, 14.2, 14.3, 14.4.**

Not classified for transport as dangerous goods

14.5. Environmental hazards

The mixture is not environmentally hazardous for transport

14.6. Special precautions for user

No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Packaged product, not typically transported in IBC's.

Additional information

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

SECTION 15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

..

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture by the supplier

SECTION 16. OTHER INFORMATION**Text of H statements mentioned in Section 3**

H304 - May be fatal if swallowed and enters airways. H319 - Causes serious eye irritation.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

On the basis of test data. H304 - May be fatal if swallowed and enters airways.

Prepared By Austen Pimm

Creation Date 02/02/2015

Revision Date 21/01/2019

Revision summary

CLP update. SDS sections updated 2 15 3 16

Abbreviations

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungsklasse (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

Further Information

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet