

SAFETY DATA SHEET

FLEET MAGIC NF
According to EC Regulation 1907/2006/EC - revision 2015/830

Revision No. 4.2

Print Date 29/01/2019

Creation Date 02/02/2015

Revision Date 21/01/2019

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Product Name FLEET MAGIC NF
Product Code 11001318X3 (CLP)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Fleet wash and traffic film remover.

1.3. Details of the supplier of the safety data sheet

NCH UK & Ireland, NCH House, Springvale Avenue, Bilston, WV14 0QL Tel (UK): 01902 510200, Tel (Ireland): 042 939 5502
E-mail address technical_uk@nch.com
Website address www.ncheurope.com

1.4. Emergency telephone number

UK - 01902 510200 (available during Office Hours)
In Republic of Ireland (available from 8am to 10pm daily): 01 809 2166

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

Serious damage to eyes: Category 1
H318 - Causes serious eye damage

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

Contains ISODECANOLETHOXYLATE 8EO & TETRASODIUM EDTA & Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride & DIPENTENE -May produce an allergic reaction.

Hazard pictograms



Signal word DANGER

Hazard Statements

H318 - Causes serious eye damage

Precautionary Statements

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P280 - Wear protective gloves/protective clothing/eye protection.

For industrial and institutional use only.

Keep out of reach of children.

2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

3.2 Mixture

| Chemical Name | CAS-No. | EC No. | EU - REACH reg number | Weight-% | EU - GHS/CLP Classification | Notes |
|--------------------------------|------------|-----------|-----------------------|----------|--|-------|
| ISOTRIDECANOL, ETHOXYLATED 8EO | 69011-36-5 | 500-241-6 | 01-2119976362-32 | 5 - < 10 | Acute Tox. 4 (H302) Eye Dam. 1 (H318) | |
| TETRASODIUM EDTA | 64-02-8 | 200-573-9 | 01-2119486762-27 | 3 - < 5 | Acute Tox. 4 (H302) | |

| | | | | | | |
|---|-------------|-----------|------------------|---------|--------------------------|---|
| | | | | | Eye Dam. 1 (H318) | |
| PROPYLENE GLYCOL MONOBUTYL ETHER | 5131-66-8 | 225-878-4 | 01-2119475527-28 | 3 - < 5 | Skin Irrit. 2 (H315) | |
| | | | | | Eye Irrit. 2 (H319) | |
| Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride | 863679-20-3 | | - | 1 - < 3 | Acute Tox. 4 (H302) | |
| | | | | | Skin Irrit. 2 (H315) | |
| | | | | | Eye Dam. 1 (H318) | |
| SODIUM GLUCOHEPTONATE | 31138-65-5 | 250-480-2 | 01-2119983500-39 | 1 - < 3 | Skin Irrit. 2 (H315) | |
| | | | | | Eye Irrit. 2 (H319) | |
| DISODIUM DICARBOXYETHYL COCOPROPYLENEDIAMINE | 97659-50-2 | 307-455-7 | - | 1 - < 3 | Eye Irrit. 2 (H319) | |
| DIPENTENE | 138-86-3 | 205-341-0 | 01-2119529223-47 | < 0.3 | Skin Irrit. 2 (H315) | C |
| | | | | | Flam. Liq. 3 (H226) | |
| | | | | | Skin Sens. 1 (H317) | |
| | | | | | Aquatic Acute 1 (H400) | |
| | | | | | Aquatic Chronic 1 (H410) | |

For any H statements mentioned in this section, see the full text in section 16.

EU Notes

Note C - Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers.

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice

Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists.

Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth with water. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

Inhalation

If exposed to high concentrations of the vapours / mists, move to fresh air. Remove from the area to fresh air. Seek medical attention if respiratory irritation develops or if breathing becomes difficult.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation

May cause sensitisation of susceptible persons.

Eye contact

May cause burns which could lead to permanent eye damage.

Skin contact

May cause irritation as itching or redness.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

Causes eye burns. Treat symptomatically. May cause sensitisation of susceptible persons.

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use: Water spray. Foam. Carbon dioxide (CO₂). Dry powder.

5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide. Sodium oxides.

Material can create slippery conditions.

5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions. Ventilate the area.

6.2. Environmental precautions

Avoid release of neat product into surface water and sanitary sewage system.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Methods for Cleaning up

Soak up with inert absorbent material. After cleaning, flush away traces with water.

6.4. Reference to other sections

Refer to sections 7, 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. May cause sensitisation of susceptible persons.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

No information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

If vapours, fumes or mists are generated, their concentration in the workplace area should be kept to the lowest reasonable level. For substances.

| Chemical Name | European Union | The United Kingdom | France | Germany | Austria |
|---------------|----------------|--------------------|---|---------|---------|
| DIPENTENE | | | TWA: 1000 mg/m ³ STEL: 1500 mg/m ³ | | |

| Chemical Name | Denmark | Finland | Norway | Sweden | Czech |
|-------------------------------------|---------|---------|--|--|--|
| PROPYLENE GLYCOL MONOBUTYL ETHER | | | | | PEL: 270mg/m ³ NPK-P: 550mg/m ³ |
| DIPENTENE | | | TWA: 25 ppm TWA: 140 mg/m ³ TWA: 40 ppm TWA: 275 mg/m ³ | 25 ppm 150 mg/m ³ 50 ppm 300 mg/m ³ | |

8.2. Exposure controls

Control parameters

Provide an eyewash station. Provide washing facilities. May cause sensitisation of susceptible persons.

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Use personal protection equipment as per Directive 89/686/EEC.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Conforming to EN 143 eg P2 / P3 Particle filters.

Hand Protection

Long term use eg continuous wear or immersion ;. Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Nitrile

rubber (0.4 mm). PVC (0.7mm). Neoprene gloves (0.4 mm). Minimum breakthrough time of the glove material (protective index 4, breakthrough time: >120 min). For break through times, refer to glove manufacturers recommendations.

Eye Protection

Safety glasses with side-shields. Approved to EN 166. For large volumes, faceshields should be used.

General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practise. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

| | | | |
|-------------------------------------|---------------------------|---------------------------------|---------------------------|
| Appearance | Brown | Specific Gravity | 1.06 |
| Physical State | Liquid | Solubility | Soluble in water |
| Odour | Citrus | Autoignition Temperature | No information available. |
| pH | 9.1 | Viscosity | No information available |
| Melting Point/Range | 0 °C | Explosive properties | No information available |
| Boiling Point/Range | 100 °C | Oxidizing Properties | No information available. |
| Flash Point | Not relevant | VOC Content (%) | 4.6 % |
| Evaporation Rate | No information available. | | |
| Flammability Limits in Air % | No information available. | | |
| Vapor Pressure | No information available. | | |
| Vapor Density | No information available. | | |

9.2. Other information

No other information available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Not considered as highly reactive. See further information below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use.

10.4. Conditions to avoid

No conditions to be specially mentioned.

10.5. Incompatible materials

No materials to be specially mentioned.

10.6. Hazardous decomposition products

None under normal storage conditions and use.

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide. Sodium oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

The product itself has not been tested.

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|----------------------------------|----------------------|----------------------|-----------------|
| ISOTRIDECANOL, ETHOXYLATED 8EO | 500 mg/kg (rat) | >2000 mg/kg (rabbit) | |
| TETRASODIUM EDTA | = 1658 mg/kg (Rat) | | |
| PROPYLENE GLYCOL MONOBUTYL ETHER | = 1900 mg/kg (Rat) | | |

Sensitisation

May cause sensitisation of susceptible persons.

Skin contact

May cause irritation as itching or redness.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract.

Eye contact

May cause burns which could lead to permanent eye damage.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction.

SECTION 12. ECOLOGICAL INFORMATION**12.1. Toxicity**Product Information

The product itself has not been tested.

Ecotoxicity effects

Contains substance(s) known to be hazardous to the aquatic environment.

| Chemical Name | Toxicity to Fish | Water Flea | Toxicity to Algae |
|--------------------------------|--|----------------------|--|
| ISOTRIDECANOL, ETHOXYLATED 8EO | LC50 1 - 10 mg/l <i>Leuciscus idus</i> 96h | EC50 1 - 10 mg/l 48h | EC50 1 - 10 mg/l 72h |
| TETRASODIUM EDTA | LC50 = 41 mg/L <i>Lepomis macrochirus</i> 96 h LC50 = 59.8 mg/L <i>Pimephales promelas</i> 96 h | = 610 mg/L 24 h | EC50 = 1.01 mg/L <i>Desmodesmus subspicatus</i> 72 h |
| DIPENTENE | LC50 0.72 mg/l 96h | | |

12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Soluble in water.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

12.6. Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Empty remaining contents. Recycle according to official regulations.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

20 01 29* Detergents containing dangerous substances

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

SECTION 14. TRANSPORT INFORMATION**14.1, 14.2, 14.3, 14.4.**

Not classified for transport as dangerous goods

14.5. Environmental hazards

The mixture is not environmentally hazardous for transport

14.6. Special precautions for user

No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Packaged product, not typically transported in IBC's.

Additional information

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

SECTION 15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

This is a detergent product and complies with the Detergent Regulation (EC) No.648/2004. . .

Labelling for contents (REGULATION (EC) No 648/2004 - 907/2006):

< 5% cationic surfactants, < 5% amphoteric surfactants, 5 - 15% non-ionic surfactants, < 5% EDTA and salts thereof,

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture by the supplier

SECTION 16. OTHER INFORMATION

Text of H statements mentioned in Section 3

H226 - Flammable liquid and vapour. H302 - Harmful if swallowed. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H319 - Causes serious eye irritation. H400 - Very toxic to aquatic life. H410 - Very toxic to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Calculation method. H318 - Causes serious eye damage.

Prepared By Austen Pimm

Creation Date 02/02/2015

Revision Date 21/01/2019

Revision summary

CLP update. SDS sections updated 2 12 15 3 16

Abbreviations

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

Vw/VwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungskategorie (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

Further Information

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet