

SAFETY DATA SHEET IMPERVO

According to EC Regulation 1907/2006/EC - revision 2015/830

Revision No. 3.2

Print Date 04/04/2019

Creation Date 02/02/2015

Revision Date 21/01/2019

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Product Name IMPERVO
Product Code 11000598X1 (CLP)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Surface coating.

1.3. Details of the supplier of the safety data sheet

NCH UK & Ireland, NCH House, Springvale Avenue, Bilston, WV14 0QL Tel (UK): 01902 510200, Tel (Ireland): 042 939 5502
E-mail address technical_uk@nch.com
Website address www.ncheurope.com

1.4. Emergency telephone number

UK - 01902 510200 (available during Office Hours)
In Republic of Ireland (available from 8am to 10pm daily): 01 809 2166

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

Flammable liquid: Category 3
Aspiration hazard: Category 1
STOT- single exposure: Category 3
H226 - Flammable liquid and vapour
H304 - May be fatal if swallowed and enters airways
H336 - May cause drowsiness or dizziness
EUH066 - Repeated exposure may cause skin dryness or cracking.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

Contains HYDROCARBONS, C9-C11, ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS.

Hazard pictograms



Signal word DANGER

Hazard Statements

H226 - Flammable liquid and vapour
H304 - May be fatal if swallowed and enters airways
H336 - May cause drowsiness or dizziness

EU classification for GHS template

EUH066 - Repeated exposure may cause skin dryness or cracking.

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTRE or doctor.
P331 - Do NOT induce vomiting
P370 + P378 - In case of fire: Use CO2, dry chemical or foam to extinguish.
P312 - Call a POISON CENTER or doctor if you feel unwell
P261 - Avoid breathing vapors.
Keep out of reach of children.
For industrial and institutional use only.

2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS**3.2 Mixture**

Chemical Name	CAS-No.	EC No.	EU - REACH reg number	Weight-%	EU - GHS/CLP Classification	Notes
HYDROCARBONS, C9-C11, ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS	NOT ASSIGNED	919-857-5	01-2119463258-33	50 - 100	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) STOT SE 3 (H336) EUH066	
NAPHTHA (PETROLEUM) HYDROTREATED HEAVY	64742-48-9	918-481-9	01-2119457273-39	1 - < 3	Asp. Tox. 1 (H304)	P

For any H statements mentioned in this section, see the full text in section 16. This mixture contains substances with a Community workplace exposure limit.

EU Notes

Note P - The classification as a carcinogen or mutagen does not apply as the substance contains less than 0.1% w/w benzene

SECTION 4. FIRST AID MEASURES**4.1. Description of first aid measures**General advice

Avoid breathing vapours or mists.

Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician immediately.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth with water. If swallowed, do not induce vomiting - seek medical advice. Show the Label to the Doctor.

Inhalation

If problems with breathing occur, move to fresh air. If symptoms persist, call a physician. If exposed to high concentrations of the vapours / mists, move to fresh air.

4.2. Most important symptoms and effects, both acute and delayedSensitisation

No information available.

Eye contact

May cause irritation as itching and redness.

Skin contact

Prolonged contact will dry and defat the skin and may cause irritation such as itching and redness.

Ingestion

Aspiration into lungs on ingestion or vomiting may cause bronchopneumonia or pulmonary oedema which can be fatal.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract. May cause headaches, dizziness, drowsiness and nausea.

4.3. Indication of any immediate medical attention and special treatment neededNotes to physician

Treat symptomatically. Aspiration hazard if swallowed - can enter lungs and cause damage.

SECTION 5. FIRE-FIGHTING MEASURES**5.1. Extinguishing media**Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use: Dry powder. Water spray. Alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

Water jet.

5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

Thermal decomposition can lead to release of irritating gases and vapours.

5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions. Ventilate the area. See section 8. Remove all sources of ignition. Evacuate personnel to safe areas.

6.2. Environmental precautions

Avoid release of neat product into surface water and sanitary sewage system. Prevent further leakage or spillage if safe to do so. Insoluble in water and hence will float on the surface.

6.3. Methods and material for containment and cleaning upMethods for Containment

Remove all sources of ignition. Contain spillage, soak up with non-combustable absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Methods for Cleaning up

Take precautionary measures against static discharges. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically and collect in suitable container for disposal. Prevent product from entering drains. Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

Refer to sections 7, 8 and 13.

SECTION 7. HANDLING AND STORAGE**7.1. Precautions for safe handling**

Avoid breathing vapours or mists. Do not eat, drink or smoke when using this product. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Never siphon by mouth. Ensure adequate ventilation. Use of secondary containment is recommended i.e impermeable floors / surfaces which will help contain any spills.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Store in accordance with local regulations. Further information about storage conditions: . .

7.3. Specific end use(s)

No information available.

-
-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**Exposure limits

If vapours, fumes or mists are generated, their concentration in the workplace area should be kept to the lowest reasonable level. For substances.

Chemical Name	European Union	The United Kingdom	France	Germany	Austria
NAPHTHA (PETROLEUM) HYDROTREATED HEAVY				Peak: 100ppm Peak: 600mg/m ³ TWA: 50ppm TWA: 300mg/m ³	

Chemical Name	Spain	Portugal	Italy	The Netherlands	Switzerland
NAPHTHA (PETROLEUM) HYDROTREATED HEAVY					STEL: 100 ppm STEL: 600 mg/m ³ TWA: 50 ppm TWA: 300 mg/m ³

Chemical Name	Poland	Ireland
NAPHTHA (PETROLEUM) HYDROTREATED HEAVY	NDSch: 900 mg/m ³ NDS: 300 mg/m ³	

8.2. Exposure controlsEngineering Measures

Local ventilation is suggested to control exposure from operations that can generate significant levels of vapour, mist or fumes. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Use personal protection equipment as per Directive 89/686/EEC.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection. Conforming to EN 14387 (organic vapours). Do not breathe vapours or spray mist.

Hand Protection

Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Solvent-resistant gloves (butyl-rubber). Fluorinated rubber. Polyvinyl alcohol. For break through times, refer to glove manufacturers recommendations.

Eye Protection

Safety glasses if the method of use presents the likelihood of eye contact. Approved to EN 166.

General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practise. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

Appearance	Colorless	Specific Gravity	0.79
Physical State	Liquid	Solubility	Insoluble in water
Odour	Petroleum	Autoignition Temperature	250 °C
pH	Not applicable.	Viscosity	< 7cst (40°C)
Melting Point/Range	No information available.	Explosive properties	No information available
Boiling Point/Range	175 °C	Oxidizing Properties	No information available.
Flash Point	38 °C	VOC Content (%)	94.2 %
Method	Closed cup		
Evaporation Rate	No information available.		
Flammability Limits in Air %	No information available.		
Vapor Pressure	No information available.		
Vapor Density	No information available.		

9.2. Other information

No other information available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Not considered as highly reactive. See further information below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use.

10.4. Conditions to avoid

Heat, flames, and sparks.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous decomposition products

None under normal storage conditions and use.

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

The product itself has not been tested.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
NAPHTHA (PETROLEUM) HYDROTREATED HEAVY	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	

Sensitisation

No information available.

Skin contact

Prolonged contact will dry and defat the skin and may cause irritation such as itching and redness.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract. May cause headaches, dizziness, drowsiness and nausea.

Ingestion

Aspiration into lungs on ingestion or vomiting may cause bronchopneumonia or pulmonary oedema which can be fatal.

Eye contact

May cause irritation as itching and redness.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Product Information

The product itself has not been tested.

Chemical Name	Toxicity to Fish	Water Flea	Toxicity to Algae
NAPHTHA (PETROLEUM) HYDROTREATED HEAVY	LC50 = 2200 mg/L Pimephales promelas 96 h		

12.2. Persistence and degradability

Persistence and degradability are substance specific, no test data is available on the constituents of this mixture to degrade or persist in the environment, either through biodegradation or other processes, such as oxidation or hydrolysis.

12.3. Bioaccumulative potential

Bioaccumulation unlikely due to the high volatility of the product.

12.4. Mobility in soil

The product is insoluble and floats on water. This preparation is volatile and will readily evaporate to the air if released into the environment.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

12.6. Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty remaining contents. Empty containers should be taken for local recycling, recovery or waste disposal. Recycle according to official regulations. For empty containers - Do not weld, solder, braze, grind etc.. Do not expose to heat, flames, sparks or other sources of ignition.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

08 01 11* Waste paint and varnish containing organic solvents or other dangerous substances

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

SECTION 14. TRANSPORT INFORMATION

14.1, 14.2, 14.3, 14.4.

IMDG/IMO

UN Number	UN1263
UN proper shipping name	Paint
Hazard Class	3
Packing Group	III
EmS	F-E, S-E

ADR / RID

UN-No	UN1263
Hazard Class	3
Packing Group	III
Classification Code	F1
Limited Quantity	5 L
Transport Cat. (Tunnel Restriction Code)	3 (D/E)

IATA/ICAO

UN-No	UN1263
Hazard Class	3
Packing Group	III
ERG Code	3L

14.5. Environmental hazards

The mixture is not environmentally hazardous for transport

14.6. Special precautions for user

No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Packaged product, not typically transported in IBC's.

Additional information

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

SECTION 15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

..

Directive 2004/42/EC:

EU limit value for this product (cat A/h): 750 g/l (2010). This product contains max 740 g/l VOC

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture by the supplier

SECTION 16. OTHER INFORMATION**Text of H statements mentioned in Section 3**

H226 - Flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways. H336 - May cause drowsiness or dizziness. EUH066 - Repeated exposure may cause skin dryness or cracking.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

On the basis of test data. H226 - Flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways. Calculation method. H336 - May cause drowsiness or dizziness.

Prepared By Austen Pimm

Creation Date 02/02/2015

Revision Date 21/01/2019

Revision summary

CLP update. SDS sections updated 3 16

Abbreviations

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungsklasse (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

Further Information

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet