

SAFETY DATA SHEET

KOLD BOND
According to EC Regulation 1907/2006/EC - revision 2015/830

Print Date 11/06/2017

Creation Date 02/02/2015

Revision No. 4.1
Revision Date 30/05/2017

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Product Name KOLD BOND
Product Code 11000621X1 (CLP)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Roof patching product.

1.3. Details of the supplier of the safety data sheet

NCH UK & Ireland, NCH House, Springvale Avenue, Bilston, WV14 0QL Tel (UK): 01902 510200, Tel (Ireland): 042 939 5502
E-mail address technical_uk@nch.com
Website address www.ncheurope.com

1.4. Emergency telephone number

01902 510331 (available during Office Hours)

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

STOT- repeated exposure: Category 1
Flammable liquid: Category 3
H372 - Causes damage to organs through prolonged or repeated exposure
H226 - Flammable liquid and vapour

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

Contains WHITE SPIRIT.

Hazard pictograms



Signal word DANGER

Hazard Statements

H372 - Causes damage to organs through prolonged or repeated exposure
H226 - Flammable liquid and vapour

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P370 + P378 - In case of fire, use water spray/foam/chemical powder to extinguish.
P260 - Do not breathe vapors.
P264 - Wash face, hands and any exposed skin thoroughly after handling
P271 - Use only outdoors or in a well-ventilated area
P314 - Get medical attention/advice if you feel unwell.
For industrial and institutional use only.
Keep out of reach of children.

2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

3.2 Mixture

Component	CAS-No.	EC No.	EU - REACH reg number	Weight percent	EU - GHS/CLP Classification	Notes
BITUMEN	8052-42-4	232-490-9	01-2119480172-	25 - < 50	-	

WHITE SPIRIT	64742-82-1	265-185-4	44 01-2119490979- 12	25 - < 50	Asp. Tox. 1 (H304) STOT RE 1 (H372)	P
--------------	------------	-----------	----------------------------	-----------	--	---

For any H statements mentioned in this section, see the full text in section 16. This mixture contains substances with a Community workplace exposure limit.

EU Notes

Note P - The classification as a carcinogen or mutagen does not apply as the substance contains less than 0.1% w/w benzene

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice

Avoid breathing vapours or mists.

Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician immediately.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth with water. If swallowed, do not induce vomiting - seek medical advice.

Inhalation

If problems with breathing occur, move to fresh air. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation

No information available.

Eye contact

May cause irritation as itching and redness.

Skin contact

Prolonged contact will dry and defat the skin and may cause irritation such as itching and redness.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract. May cause headaches, dizziness, drowsiness and nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use: Dry powder. Alcohol-resistant foam. Water spray.

Extinguishing media which must not be used for safety reasons

Water jet.

5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

Thermal decomposition can lead to release of irritating gases and vapours.

5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. See section 8. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions. Remove all sources of ignition. Ventilate the area. Evacuate personnel to safe areas.

6.2. Environmental precautions

Avoid release of neat product into surface water and sanitary sewage system. Prevent further leakage or spillage if safe to do so. Insoluble in water and will sink.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Remove all sources of ignition.

Methods for Cleaning up

For the non volatile residues: Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

Refer to sections 7, 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid breathing vapours or mists. Do not eat, drink or smoke when using this product. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Store in accordance with local regulations.

7.3. Specific end use(s)

No information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

If vapours, fumes or mists are generated, their concentration in the workplace area should be kept to the lowest reasonable level. For substances.

Component	European Union	The United Kingdom	France	Germany	Austria
BITUMEN		STEL: 10 mg/m ³ TWA: 5 mg/m ³		Skin	

Component	Spain	Portugal	Italy	The Netherlands	Switzerland
BITUMEN	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³			Skin TWA: 10 mg/m ³
WHITE SPIRIT	Skin STEL: 100 ppm STEL: 580 mg/m ³ TWA: 50 ppm TWA: 290 mg/m ³				

Component	Denmark	Finland	Norway	Sweden	Czech
BITUMEN	TWA: 1 mg/m ³		TWA: 5 mg/m ³ TWA: 0.04 mg/m ³		

Component	Poland	Ireland
BITUMEN	NDSCh: 10 mg/m ³ NDS: 5 mg/m ³ NDS: 0.002 mg/m ³	TWA: 0.5 mg/m ³ STEL: 10 mg/m ³
WHITE SPIRIT	NDSCh: 900 mg/m ³ NDS: 300 mg/m ³	

8.2. Exposure controls

Engineering Measures

Local ventilation is suggested to control exposure from operations that can generate significant levels of vapour, mist or fumes.

Personal Protective Equipment

Use personal protection equipment as per Directive 89/686/EEC.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection. Conforming to EN 141 (organic vapours). Do not breathe vapours or spray mist.

Hand Protection

Wear suitable protective gloves conforming to EN 374. Type of gloves suggested: Solvent-resistant gloves (butyl-rubber). Fluorinated rubber. Polyvinyl alcohol. For break through times, refer to glove manufacturers recommendations.

Eye Protection

Safety glasses if the method of use presents the likelihood of eye contact. Approved to EN 166.

General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practise. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

Appearance	Black	Specific Gravity	1.1
Physical State	Paste	Solubility	Insoluble in water
Odour	Hydrocarbon	Autoignition Temperature	230 °C
pH	Not applicable.	Viscosity	Paste
Melting Point/Range	No information available.	Explosive properties	No information available
Boiling Point/Range	175 °C	Oxidizing Properties	No information available.
Flash Point	39 °C	VOC Content (%)	29 %
Method	Closed cup		
Evaporation Rate	No information available.		
Flammability Limits in Air %			
Upper flammability limit:	7		
Lower	0.7		
Vapour Pressure	> 0.01 kPa		
Vapor Density	No information available.		

9.2. Other information

No other information available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Not considered as highly reactive. See further information below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use.

10.4. Conditions to avoid

Heat, flames, and sparks.

10.5. Incompatible materials

Strong oxidising agents. Reducing agents.

10.6. Hazardous decomposition products

None under normal storage conditions and use.

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

The product itself has not been tested.

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
BITUMEN	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	
WHITE SPIRIT	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	

Sensitisation

No information available.

Skin contact

Prolonged contact will dry and defat the skin and may cause irritation such as itching and redness.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract. May cause headaches, dizziness, drowsiness and nausea.

Eye contact

May cause irritation as itching and redness.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Product Information

The product itself has not been tested.

Ecotoxicity effects

Contains substance(s) known to be hazardous to the aquatic environment.

12.2. Persistence and degradability

Mainly an organic product which can not be eliminated from water through biological processes.

12.3. Bioaccumulative potential

Component information below.

Component	log Pow
BITUMEN	6.006

12.4. Mobility in soil

The product is insoluble and sinks in water.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

12.6. Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty remaining contents. Empty containers should be taken for local recycling, recovery or waste disposal. Recycle according to official regulations. For empty containers - Do not weld, solder, braze, grind etc.. Do not expose to heat, flames, sparks or other sources of ignition.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances

17 03 02 bituminous mixtures other than those mentioned in 17 03 01

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

SECTION 14. TRANSPORT INFORMATION

14.1, 14.2, 14.3, 14.4.

IMDG/IMO

UN-No	UN1999
Proper Shipping Name	TARS, LIQUID, including road oils, and cutback bitumens.
Hazard Class	3
Packing Group	III
EmS	F-E, S-E

ADR / RID

UN-No	UN1999
Hazard Class	3
Packing Group	III
Classification Code	F1
Limited Quantity	5 L
Transport Cat. (Tunnel Restriction Code)	3 (D/E)

IATA/ICAO

UN-No	UN1999
Hazard Class	3
Packing Group	III
ERG Code	3L

14.5. Environmental hazards

The mixture is not environmentally hazardous for transport

14.6. Special precautions for user

No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Packaged product, not typically transported in IBC's.

Additional information

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture by the supplier

SECTION 16. OTHER INFORMATION

Text of H statements mentioned in Section 3

H304 - May be fatal if swallowed and enters airways. H372 - Causes damage to organs through prolonged or repeated exposure.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

On the basis of test data. H226 - Flammable liquid and vapour. H372 - Causes damage to organs through prolonged or repeated exposure.

Prepared By Austen Pimm

Creation Date 02/02/2015

Revision Date 30/05/2017

Revision summary

CLP update. Revised classification SDS sections updated 2 15 3 16

Abbreviations

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungskategorie (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

Further Information

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet