

SAFETY DATA SHEET

TEXITE 555

According to EC Regulation 1907/2006/EC - revision 2015/830

Revision No. 2.1

Print Date 07/11/2016

Creation Date 02/02/2015

Revision Date 11/06/2016

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Product Name TEXITE 555
Product Code 10248408X1 (CLP)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

All-weather patch and pave material.

1.3. Details of the supplier of the safety data sheet

NCH (UK) Ltd NCH House Springvale Avenue Bilston WV14 0QL Tel: 01902 510200
NCH Ireland Ltd. The Brewery Business Park, Ardee Road Dundalk, County Louth, Tel: 042 9395500
E-mail address technical_uk@nch.com
Website address www.ncheurope.com

1.4. Emergency telephone number

01902 510331 (available during Office Hours)

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

This mixture is not classified according to EU Regulation No 1272/2008
Safety data sheet available on request.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

Contains WHITE SPIRIT.

EU classification for GHS template

Safety data sheet available on request.
For industrial and institutional use only.
Keep out of reach of children.

2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

3.2 Mixture

| Component | CAS-No. | EC No. | EU - REACH reg number | Weight percent | Classification | EU - GHS/CLP Classification | Notes |
|--------------|------------|-----------|--------------------------|-------------------|----------------|--|-------|
| BITUMEN | 8052-42-4 | 232-490-9 | 01- 2119480172-44 | 5 - < 10 | | - | |
| WHITE SPIRIT | 64742-82-1 | 265-185-4 | 01- 2119490979-12 | 1 - < 3 | R10 Xn; R65 | Asp. Tox. 1 (H304) STOT RE 1 (H372) | P |

This mixture contains substances with a Community workplace exposure limit. For any H statements and R phrases mentioned in this section, see the full text in section 16. The GHS/CLP classification for substances are listed once they have been harmonised according to the REACH Regulation No 1907 / 2006.

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice

If symptoms persist, call a physician.

Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician immediately.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops

and persists.

Ingestion

Rinse mouth with water. If swallowed, do not induce vomiting - seek medical advice.

Inhalation

If problems with breathing occur, move to fresh air. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation

No information available.

Eye contact

May cause irritation as itching and redness.

Skin contact

Prolonged contact will dry and defat the skin and may cause irritation such as itching and redness.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use: Dry powder. Alcohol-resistant foam. Water spray.

Extinguishing media which must not be used for safety reasons

Water jet.

5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. See section 8.

6.2. Environmental precautions

Avoid release of neat product into surface water and sanitary sewage system.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Pick up and arrange disposal without creating dust.

Methods for Cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to sections 7, 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

No information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

For substances.

| Component | European Union | The United Kingdom | France | Germany | Austria |
|-----------|----------------|----------------------------|--------|---------|---------|
| BITUMEN | | STEL: 10 mg/m ³ | | Skin | |

| | | | | |
|--|--|--------------------------|--|--|
| | | TWA: 5 mg/m ³ | | |
|--|--|--------------------------|--|--|

| Component | Spain | Portugal | Italy | The Netherlands | Switzerland |
|--------------|---|----------------------------|-------|-----------------|-----------------------------------|
| BITUMEN | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | | | Skin TWA: 10 mg/m ³ |
| WHITE SPIRIT | Skin STEL: 100 ppm STEL: 580 mg/m ³ TWA: 50 ppm TWA: 290 mg/m ³ | | | | |

| Component | Denmark | Finland | Norway | Sweden | Czech |
|-----------|--------------------------|---------|--|--------|-------|
| BITUMEN | TWA: 1 mg/m ³ | | TWA: 5 mg/m ³ TWA: 0.04 mg/m ³ | | |

| Component | Poland | Ireland |
|--------------|--|--|
| BITUMEN | NDSch: 10 mg/m ³ NDS: 5 mg/m ³ NDS: 0.002 mg/m ³ | TWA: 0.5 mg/m ³ STEL: 10 mg/m ³ |
| WHITE SPIRIT | NDSch: 900 mg/m ³ NDS: 300 mg/m ³ | |

8.2. Exposure controls

Engineering Measures

General ventilation is normally adequate.

Personal Protective Equipment

Use personal protection equipment as per Directive 89/686/EEC.

Respiratory Protection

Not required under normal use.

Hand Protection

Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Solvent-resistant gloves (butyl-rubber). Fluorinated rubber. Polyvinyl alcohol. For break through times, refer to glove manufacturers recommendations.

Eye Protection

Safety glasses if the method of use presents the likelihood of eye contact. Approved to EN 166.

General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practise. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

| | | | |
|-------------------------------------|---------------------------|---------------------------------|---------------------------|
| Appearance | Black granules | Specific Gravity | > 1.5 |
| Physical State | Solid | Solubility | Insoluble in water |
| Odour | Bitumen | Autoignition Temperature | No information available. |
| pH | No information available. | Viscosity | No information available |
| Melting Point/Range | No information available. | Explosive properties | No information available |
| Boiling Point/Range | No information available. | Oxidizing Properties | No information available. |
| Flash Point | Not relevant | VOC Content (%) | 1 % |
| Evaporation Rate | No information available. | | |
| Flammability Limits in Air % | No information available. | | |
| Vapour Pressure | No information available. | | |
| Vapor Density | No information available. | | |

9.2. Other information

No other information available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Not considered as highly reactive. See further information below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use.

10.4. Conditions to avoid

No conditions to be specially mentioned.

10.5. Incompatible materials

No materials to be specially mentioned.

10.6. Hazardous decomposition products

None under normal storage conditions and use.

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

SECTION 11. TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**Product Information

The product itself has not been tested.

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--------------|----------------------|-------------------------|-----------------|
| BITUMEN | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | |
| WHITE SPIRIT | > 5000 mg/kg (Rat) | > 3160 mg/kg (Rabbit) | |

Sensitisation

No information available.

Skin contact

Prolonged contact will dry and defat the skin and may cause irritation such as itching and redness.

Eye contact

May cause irritation as itching and redness.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction.

SECTION 12. ECOLOGICAL INFORMATION**12.1. Toxicity**Product Information

The product itself has not been tested.

12.2. Persistence and degradability

Ecotoxicological properties are substance specific, i.e. bioaccumulation, persistence and degradability. The information is given, where available and appropriate, for substance(s) of the mixture.

12.3. Bioaccumulative potential

Not likely to bioaccumulate. Component information below.

| Component | log Pow |
|-----------|---------|
| BITUMEN | 6.006 |

12.4. Mobility in soil

The product is insoluble and sinks in water.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

12.6. Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Recycle according to official regulations. For empty containers - Do not weld, solder, braze, grind etc.. Do not expose to heat, flames, sparks or other sources of ignition.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

05 01 08* Other tars

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

SECTION 14. TRANSPORT INFORMATION**14.1, 14.2, 14.3, 14.4.**

Not classified for transport as dangerous goods

14.5. Environmental hazards

The mixture is not environmentally hazardous for transport

14.6. Special precautions for user

No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Packaged product, not typically transported in IBC's.

Additional information

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

SECTION 15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture by the supplier

SECTION 16. OTHER INFORMATION**Text of H statements mentioned in Section 3**

H304 - May be fatal if swallowed and enters airways. H372 - Causes damage to organs through prolonged or repeated exposure.

Text of R phrases mentioned in Section 3

R10 - Flammable. R65 - Harmful: may cause lung damage if swallowed.

Prepared By Austen Pimm

Creation Date 02/02/2015

Revision Date 11/06/2016

Revision Summary

CLP update. SDS sections updated 2 15

Abbreviations

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungskategorie (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

Further Information

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet