

SAFETY DATA SHEET

According to EC Regulation 1907/2006/EC - revision 2020/878

Revision No. 3.6

Print Date 04/02/2024

Creation Date 02/02/2015

Revision date 29/12/2023

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Product Name: LUBRA K AHT
Product Code: 11000814V1 (CLP)
UFI: 5R83-K0ET-C009-PSNT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Lubricant.

1.3. Details of the supplier of the safety data sheet

NCH UK & Ireland,
Arrowmere House, Bilston,
WV14 0QL
Tel (UK): 01902 510200, Tel (Ireland): 042 939 5502
E-mail address: technical_uk@nch.com
Website address: www.ncheurope.com

1.4. Emergency telephone number

UK - 01902 510200 (available during Office Hours)
In Republic of Ireland (available from 8am to 10pm daily): 01 809 2166

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

Aerosols: Category 1
H222 - Extremely flammable aerosol
H229 - Pressurised container: May burst if heated

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

Hazard pictograms



Signal word Danger

Hazard statements

H222 - Extremely flammable aerosol
H229 - Pressurised container: May burst if heated

Precautionary statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P211 - Do not spray on an open flame or other ignition source
P251 - Do not pierce or burn, even after use
P271 - Use only outdoors or in a well-ventilated area
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C
P260 - Do not breathe mist/spray.
Keep out of reach of children
For industrial and institutional use only.

2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

3.2 Mixture

Chemical name	CAS No	EC No (EU Index Index No)	EU - REACH reg number	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Notes
PROPANE	74-98-6	200-827-9	01-2119486944-21	10 - < 20	Press. Gas (H280) Flam. Gas 1 (H220)	

For any H statements mentioned in this section, see the full text in section 16.

EU Notes

Note K - The classification as a carcinogen or mutagen does not apply as the substance contains less than 0.1% w/w 1,3-butadiene

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice

If symptoms persist, call a doctor.

Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Do not use solvents or thinners. If skin irritation persists, call a doctor.

Ingestion

Do NOT induce vomiting. Rinse mouth with water. If swallowed, seek medical advice immediately and show this container or label.

Inhalation

If exposed to high concentrations of the aerosol vapours, move to fresh air. If symptoms persist, call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation

No information available.

Eye contact

May cause irritation as itching and redness.

Skin contact

Unlikely to be irritant on brief or occasional exposure.

Inhalation

May cause headaches, dizziness, drowsiness and nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use: Foam. Carbon dioxide (CO₂). Dry powder. Water spray. Alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

Water jet.

5.2. Special hazards arising from the substance or mixture

Material can create slippery conditions. Thermal decomposition can lead to release of irritating gases and vapours. Pressurized container. Extremely flammable. Keep product and empty container away from heat and sources of ignition.

5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear. Cool fire-exposed containers with water spray to prevent bursting.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Refer to protective measures listed in sections 7 and 8. Prevent further leakage or spillage if safe to do so. Ventilate the area. Due to the nature of the aerosol packaging, a large spill is unlikely. For a small spill, wear appropriate protective clothing, ventilate the area, absorb with an inert material and transfer all material into a properly labeled container for disposal. Use care as spills may be slippery.

6.2. Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Insoluble in water and hence will float on the surface.

6.3. Methods and material for containment and cleaning upMethods for Containment

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). If using a cloth to wipe up a small spillage, properly dispose of the used cloth to avoid a fire risk.

Methods for Cleaning up

For the non volatile residues: Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

Refer to sections 7, 8 and 13.

SECTION 7. HANDLING AND STORAGE**7.1. Precautions for safe handling**

Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists. Do not eat, drink or smoke when using this product. Keep away from open flames, hot surfaces and sources of ignition. Ensure adequate ventilation. Avoid breathing vapours or mists.

7.2. Conditions for safe storage, including any incompatibilities

For safety reasons in case of fire, cans should be stored separately in closed containments. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

7.3. Specific end use(s)

No information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**Exposure Limits

If vapours, fumes or mists are generated, their concentration in the workplace area should be kept to the lowest reasonable level. For substances.

Chemical name	European Union	The United Kingdom	France	Germany	Austria
PROPANE				AGW: 1000 ppm AGW: 1800 mg/m ³ Spitzenbegr.: 4000 ppm Spitzenbegr.: 7200 mg/m ³ MAK: 1000 ppm MAK: 1800 mg/m ³	STEL: 2000 ppm STEL: 3600 mg/m ³ TWA: 1000 ppm TWA: 1800 mg/m ³

Chemical name	Spain	Portugal	Italy	The Netherlands	Switzerland
PROPANE	TVA: 1000 ppm	TWA: 1000 ppm			STEL: 4000 ppm STEL: 7200 mg/m ³ TWA: 1000 ppm TWA: 1800 mg/m ³

Chemical name	Denmark	Finland	Norway	Sweden	Czech
PROPANE	TWA: 1000 ppm TWA: 1800 mg/m ³	HTP (8h): 800 ppm HTP (8h): 1500 mg/m ³ HTP (15min): 1100 ppm HTP (15min): 2000 mg/m ³	TWA: 500 ppm TWA: 900 mg/m ³		

Chemical name	Poland	Ireland
PROPANE	NDS: 1800 mg/m ³	STEL: 3000 ppm

DNEL (Derived No-Effect Level)

Not applicable

PNEC (Predicted No-Effect Concentration)

Not applicable

8.2. Exposure controlsEngineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Use personal protection equipment as per Regulation (EU) 2016/425.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Conforming to EN 14387 (organic vapours). In case of inadequate ventilation wear respiratory protection.

Hand Protection

Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Neoprene gloves (0.4 mm). Nitrile rubber (0.4 mm). Solvent-resistant gloves (butyl-rubber). For break through times, refer to glove manufacturer's recommendations.

Eye Protection

Safety glasses if the method of use presents the likelihood of eye contact. Approved to EN 166.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

Appearance	Light yellow
Odour	Hydrocarbon
Physical state	Liquid
pH	Not applicable
Flash Point	< -50 °C
Specific gravity	0.82
Viscosity	Viscous
Solubility	Insoluble in water
Autoignition Temperature	No data available
Boiling Point/Range	-40 °C
Melting Point/Range	No information available
Flammability Limits in Air %	No information available
Evaporation Rate	No information available
Vapour pressure	No information available
Relative vapour density	No information available
Explosive properties	No information available
Oxidising Properties	No information available
VOC content	10 %
Pour Point	< -30 °C (aerosol concentrate)

9.2. Other information

No other information available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Not considered as highly reactive. See further information below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use.

10.4. Conditions to avoid

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Keep away from open flames, hot surfaces, and sources of ignition.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous decomposition products

None under normal storage conditions and use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

The product itself has not been tested.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
PROPANE			> 800000 ppm (Rat) 15 min

Sensitisation

No information available.

Skin contact

Unlikely to be irritant on brief or occasional exposure.

Inhalation

May cause headaches, dizziness, drowsiness and nausea.

Eye contact

May cause irritation as itching and redness.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction.

STOT - single exposure

Based on available data, the classification criteria are not met

STOT - repeated exposure

Based on available data, the classification criteria are not met

Aspiration hazard

Based on available data, the classification criteria are not met

11.2 Information on Other Hazards

The product does not contain substances that have been identified as an endocrine disruptor

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Product Information

The product itself has not been tested.

12.2. Persistence and degradability

Readily biodegradable according to CEC-L-33-A-93.

12.3. Bioaccumulative potential

Not likely to bioaccumulate. Component information below.

Chemical name	Partition coefficient
PROPANE	2.3

12.4. Mobility in soil

The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

12.6 Endocrine disrupting properties

The product does not contain substances that have been identified as an endocrine disruptor

12.7 Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Do not expose to heat, flames, sparks or other sources of ignition. Do not pierce or burn, even after use. Empty containers should be taken for local recycling, recovery or waste disposal.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

16 05 04* gases in pressure containers (including halons) containing dangerous substances

15 01 10* packaging containing residues of or contaminated by dangerous substances

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

SECTION 14. TRANSPORT INFORMATION

14.1, 14.2, 14.3, 14.4.

IMDG/IMO

UN number or ID number	UN1950
Proper Shipping Name	Aerosols, Flammable
Transport hazard class(es)	2.1
EmS-No	F-D, S-U

ADR / RID

UN number or ID number	UN1950
Transport hazard class(es)	2.1
Classification code	5F
Limited Quantity	1 L

Transport Cat. (Tunnel Restriction Code)	2 (D)
IATA/ICAO	
UN number or ID number	UN1950
Transport hazard class(es)	2.1
ERG Code	10P

14.5. Environmental hazards

The mixture is not environmentally hazardous for transport

14.6. Special precautions for user

No special precautions.

14.7 Maritime transport in bulk according to IMO instruments

Packaged product, not typically transported in IBC's

Additional information

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

SECTION 15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture by the supplier

SECTION 16. OTHER INFORMATION**Text of H statements mentioned in Section 3**

H220 - Extremely flammable gas. H280 - Contains gas under pressure; may explode if heated.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

On the basis of test data. H222 - Extremely flammable aerosol.

Prepared By Austen Pimm

Creation Date 02/02/2015

Revision date 29/12/2023

Revision summary

CLP update. SDS sections updated 2 15 3 16 8

Abbreviations

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungsklasse (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

Further Information

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature

literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet