

# SAFETY DATA SHEET SLURPY

According to EC Regulation 1907/2006/EC - revision 2015/830

Revision No. 3.2

Print Date 29/01/2019

Creation Date 02/02/2015

Revision Date 21/01/2019

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### 1.1. Product identifier

Product Name SLURPY  
Product Code 11000638U1 (CLP)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Recommended use

Absorbent for Petroleum/Solvent spills.

### 1.3. Details of the supplier of the safety data sheet

NCH UK & Ireland, NCH House, Springvale Avenue, Bilston, WV14 0QL Tel (UK): 01902 510200, Tel (Ireland): 042 939 5502  
E-mail address technical\_uk@nch.com  
Website address www.ncheurope.com

### 1.4. Emergency telephone number

UK - 01902 510200 (available during Office Hours)  
In Republic of Ireland (available from 8am to 10pm daily): 01 809 2166

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

This mixture is not classified according to EU Regulation No 1272/2008

### 2.2. Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

For industrial and institutional use only.  
Keep out of reach of children.

### 2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

## SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

### 3.2 Mixture

| Chemical Name                      | CAS-No.    | EC No.    | EU - REACH reg number | Weight-% | EU - GHS/CLP Classification | Notes |
|------------------------------------|------------|-----------|-----------------------|----------|-----------------------------|-------|
| CALCIUM CARBONATE                  | 471-34-1   | 207-439-9 | 01-2119486795-18      | 1 - < 3  | -                           |       |
| HYDRATED MAGNESIUM SILICATE (TALC) | 14807-96-6 | 238-877-9 | -                     | 1 - < 3  | -                           |       |

This mixture contains substances with a Community workplace exposure limit. For any H statements mentioned in this section, see the full text in section 16.

## SECTION 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General advice

Get medical attention immediately if symptoms occur.

#### Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

#### Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.

#### Ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth with water.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Sensitisation

No information available.

#### Eye contact

May cause irritation as itching and redness.

#### Skin contact

Unlikely to be irritant on brief or occasional exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

##### Notes to physician

Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

##### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use: Water spray. Foam.

#### 5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

#### 5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.

#### 6.2. Environmental precautions

Avoid release of neat product into surface water and sanitary sewage system.

#### 6.3. Methods and material for containment and cleaning up

##### Methods for Containment

Pick up and arrange disposal without creating dust.

##### Methods for Cleaning up

Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

#### 6.4. Reference to other sections

Refer to sections 7, 8 and 13.

### SECTION 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Keep container tightly closed in a dry and well-ventilated place.

#### 7.3. Specific end use(s)

No information available.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

##### Exposure limits

If vapours, fumes or mists are generated, their concentration in the workplace area should be kept to the lowest reasonable level. For substances.

| Chemical Name                      | European Union | The United Kingdom  | France                    | Germany | Austria                  |
|------------------------------------|----------------|---|---------------------------|---------|--------------------------|
| CALCIUM CARBONATE                  |                | STEL: 30 mg/m <sup>3</sup><br>STEL: 12 mg/m <sup>3</sup><br>TWA: 10 mg/m <sup>3</sup><br>TWA: 4 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup> |         |                          |
| HYDRATED MAGNESIUM SILICATE (TALC) |                | STEL: 3 mg/m <sup>3</sup><br>TWA: 1 mg/m <sup>3</sup>   |                           |         | TWA: 2 mg/m <sup>3</sup> |

| Chemical Name                      | Spain                    | Portugal                  | Italy | The Netherlands             | Switzerland              |
|------------------------------------|--------------------------|---------------------------|-------|-----------------------------|--------------------------|
| CALCIUM CARBONATE                  |                          | TWA: 10 mg/m <sup>3</sup> |       |                             | TWA: 3 mg/m <sup>3</sup> |
| HYDRATED MAGNESIUM SILICATE (TALC) | TWA: 2 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup>  |       | TWA: 0.25 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup> |

| Chemical Name                      | Denmark                        | Finland  | Norway   | Sweden  | Czech                      |
|------------------------------------|--------------------------------|--|--|---|----------------------------|
| CALCIUM CARBONATE                  |                                |  |  |   | PEL: 10.0mg/m <sup>3</sup> |
| HYDRATED MAGNESIUM SILICATE (TALC) | TWA: 0.3 fiber/cm <sup>3</sup> | TWA: 0.5 fiber/cm <sup>3</sup><br>STEL: 2 ppm<br>STEL: 1 ppm | TWA: 6 mg/m <sup>3</sup><br>TWA: 2 mg/m <sup>3</sup> | 2 mg/m <sup>3</sup> total dust<br>1 mg/m <sup>3</sup> respirable dust | PEL: 2.0mg/m <sup>3</sup>  |

| Chemical Name                      | Poland   | Ireland  |
|------------------------------------|--|--|
| CALCIUM CARBONATE                  | NDS: 10 mg/m <sup>3</sup>                                |  |
| HYDRATED MAGNESIUM SILICATE (TALC) | NDS: 4.0 mg/m <sup>3</sup><br>NDS: 1.0 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup><br>TWA: 0.8 mg/m <sup>3</sup><br>STEL: 30 mg/m <sup>3</sup><br>STEL: 2.4 mg/m <sup>3</sup> |

## 8.2. Exposure controls

### Engineering Measures

General ventilation is normally adequate.

### Personal Protective Equipment

Use personal protection equipment as per Directive 89/686/EEC.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Conforming to EN 143 eg P2 / P3 Particle filters.

### Hand Protection

In the event of prolonged or repeated contact with the hands, use appropriate gloves. Conforming to EN 374.

### Eye Protection

Safety glasses if the method of use presents the likelihood of eye contact. Approved to EN 166.

### General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practise. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

|                                     |                           |                                 |                           |
|-------------------------------------|---------------------------|---------------------------------|---------------------------|
| <b>Appearance</b>                   | White granules            | <b>Specific Gravity</b>         | < 1                       |
| <b>Physical State</b>               | Solid                     | <b>Solubility</b>               | Insoluble in water        |
| <b>Odour</b>                        | Odorless                  | <b>Autoignition Temperature</b> | No information available. |
| <b>pH</b>                           | No information available. | <b>Viscosity</b>                | No information available  |
| <b>Melting Point/Range</b>          | No information available. | <b>Explosive properties</b>     | No information available  |
| <b>Flash Point</b>                  | Not relevant              | <b>Oxidizing Properties</b>     | No information available. |
| <b>Evaporation Rate</b>             | No information available. | <b>VOC Content (%)</b>          | 0 %                       |
| <b>Flammability Limits in Air %</b> | No information available. |                                 |                           |
| <b>Vapor Pressure</b>               | No information available. |                                 |                           |
| <b>Vapor Density</b>                | No information available. |                                 |                           |

### 9.2. Other information

No other information available

## SECTION 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

Not considered as highly reactive. See further information below.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use.

### 10.4. Conditions to avoid

No conditions to be specially mentioned.

### 10.5. Incompatible materials

Oxidising agents. Reducing agents. Strong acids.

### 10.6. Hazardous decomposition products

None under normal storage conditions and use.

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Product Information

The product itself has not been tested.

| Chemical Name     | LD50 Oral            | LD50 Dermal | LC50 Inhalation |
|-------------------|----------------------|-------------|-----------------|
| CALCIUM CARBONATE | = 6450 mg/kg ( Rat ) |             |                 |

Sensitisation

No information available.

Skin contact

Unlikely to be irritant on brief or occasional exposure.

Eye contact

May cause irritation as itching and redness.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction.

**SECTION 12. ECOLOGICAL INFORMATION****12.1. Toxicity**Product Information

The product itself has not been tested.

| Chemical Name                      | Toxicity to Fish                      | Water Flea | Toxicity to Algae |
|------------------------------------|---------------------------------------|------------|-------------------|
| HYDRATED MAGNESIUM SILICATE (TALC) | LC50 > 100 g/L Brachydanio rerio 96 h |            |                   |

**12.2. Persistence and degradability**

Persistence and degradability are substance specific, no test data is available on the constituents of this mixture to degrade or persist in the environment, either through biodegradation or other processes, such as oxidation or hydrolysis.

**12.3. Bioaccumulative potential**

No information available.

**12.4. Mobility in soil**

The product is insoluble and floats on water.

**12.5. Results of PBT and vPvB assessment**

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

**12.6. Other adverse effects**

No data available.

**SECTION 13. DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods**Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Empty remaining contents. Recycle according to official regulations.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

15 02 03 Absorbents, filter materials , wiping cloths and protective clothing other than those mentioned in 15 02 02

15 02 02\* Absorbents, filter materials, wiping cloths, protective clothing contaminated by dangerous substances

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

**SECTION 14. TRANSPORT INFORMATION****14.1, 14.2, 14.3, 14.4.**

Not classified for transport as dangerous goods

**14.5. Environmental hazards**

The mixture is not environmentally hazardous for transport

**14.6. Special precautions for user**

No special precautions.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Packaged product, not typically transported in IBC's.

**Additional information**

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

**SECTION 15. REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

The mixture is not classified as hazardous in accordance with EC Regulation 1272/2008 (CLP) and its adaptations. In addition, Directive 2009/2/EC with the 31st Adaptation of Directive 67/548/EEC (Hazardous substances) has been taken into account. . .

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out for this mixture by the supplier

**SECTION 16. OTHER INFORMATION**

**Prepared By** Austen Pimm

**Creation Date** 02/02/2015

**Revision Date** 21/01/2019

**Revision summary**

CLP update. SDS sections updated 2 15 3 16

**Abbreviations**

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungsklasse (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

**Further Information**

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**