

SAFETY DATA SHEET

AQUA-SOL SILICATE FREE

According to EC Regulation 1907/2006/EC - revision 2015/830

Revision No. 4.2

Print Date 29/01/2019

Creation Date 02/02/2015

Revision Date 21/01/2019

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Product Name AQUA-SOL SILICATE FREE
Product Code 11004048X1 (CLP)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Cleaner.

1.3. Details of the supplier of the safety data sheet

NCH UK & Ireland, NCH House, Springvale Avenue, Bilston, WV14 0QL Tel (UK): 01902 510200, Tel (Ireland): 042 939 5502
E-mail address technical_uk@nch.com
Website address www.ncheurope.com

1.4. Emergency telephone number

UK - 01902 510200 (available during Office Hours)
In Republic of Ireland (available from 8am to 10pm daily): 01 809 2166

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

Skin irritation: Category 2
Serious damage to eyes: Category 1
H315 - Causes skin irritation
H318 - Causes serious eye damage

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

Contains 2-AMINOETHANOL.

Hazard pictograms



Signal word DANGER

Hazard Statements

H315 - Causes skin irritation
H318 - Causes serious eye damage

Precautionary Statements

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P280 - Wear protective gloves/protective clothing/eye protection.

For industrial and institutional use only.

Keep out of reach of children.

2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

3.2 Mixture

Chemical Name	CAS-No.	EC No.	EU - REACH reg number	Weight-%	EU - GHS/CLP Classification	Notes
MONOPROPYLENE GLYCOL METHYL ETHER	107-98-2	203-539-1	01-2119457435-35	5 - < 10	STOT SE 3 (H336) Flam. Liq. 3 (H226)	

2-AMINOETHANOL	141-43-5	205-483-3	01-2119486455-28	3 - < 5	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1B (H314)
DODECYLBENZENE SULPHONIC ACID SODIUM SALT	25155-30-0	246-680-4	-	1 - < 3	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)
DIPROPYLENE GLYCOL METHYL ETHER	34590-94-8	252-104-2	01-2119450011-60	1 - < 3	-

This mixture contains substances with a Community workplace exposure limit. For any H statements mentioned in this section, see the full text in section 16.

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice

Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists.

Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth with water. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

Inhalation

Remove from the area to fresh air. Seek medical attention if respiratory irritation develops or if breathing becomes difficult. If exposed to high concentrations of the vapours / mists, move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation

No information available.

Eye contact

May cause burns which could lead to permanent eye damage.

Skin contact

May cause irritation as itching or redness.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

May cause burns of eyes, skin and mucous membranes.

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use: Water spray. Carbon dioxide (CO₂). Foam. Dry powder.

5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide. Sulphur oxides.

Material can create slippery conditions.

5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions. Ventilate the area.

6.2. Environmental precautions

Avoid release of neat product into surface water and sanitary sewage system.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Contain spillage, soak up with non-combustable absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Methods for Cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). After cleaning, flush away traces with water.

6.4. Reference to other sections

Refer to sections 7, 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

No information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

For substances. If vapours, fumes or mists are generated, their concentration in the workplace area should be kept to the lowest reasonable level.

Chemical Name	European Union	The United Kingdom	France	Germany	Austria
MONOPROPYLENE GLYCOL METHYL ETHER		STEL: 150 ppm STEL: 560 mg/m ³ TWA: 100 ppm TWA: 375 mg/m ³ Skin	TWA: 50 ppm TWA: 188 mg/m ³ STEL: 100 ppm STEL: 375 mg/m ³ Skin	AGW: 100ppm AGW: 370mg/m ³ Peak: 200ppm Peak: 740mg/m ³ TWA: 100ppm TWA: 370mg/m ³ BGW: 15mg/L	Skin STEL: 50 ppm STEL: 187 mg/m ³ TWA: 50 ppm TWA: 187 mg/m ³ Ceiling: 50 ppm Ceiling: 187 mg/m ³
2-AMINOETHANOL	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Skin	STEL: 3 ppm STEL: 7.6 mg/m ³ TWA: 1 ppm TWA: 2.5 mg/m ³ Skin	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Skin	AGW: 2ppm AGW: 5.1mg/m ³ Peak: 4ppm Peak: 10.2mg/m ³ TWA: 2ppm TWA: 5.1mg/m ³	Skin STEL: 3 ppm STEL: 7.6 mg/m ³ TWA: 1 ppm TWA: 2.5 mg/m ³
DIPROPYLENE GLYCOL METHYL ETHER		STEL: 150 ppm STEL: 924 mg/m ³ TWA: 50 ppm TWA: 308 mg/m ³ Skin	TWA: 50 ppm TWA: 308 mg/m ³ Skin	AGW: 50ppm AGW: 310mg/m ³ Peak: 50ppm Peak: 310mg/m ³ TWA: 50ppm TWA: 310mg/m ³	Skin STEL: 100 ppm STEL: 614 mg/m ³ TWA: 50 ppm TWA: 307 mg/m ³

Chemical Name	Spain	Portugal	Italy	The Netherlands	Switzerland
MONOPROPYLENE GLYCOL METHYL ETHER	Skin STEL: 150 ppm STEL: 568 mg/m ³ TVA: 100 ppm TWA: 375 mg/m ³	TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 568 mg/m ³ Skin	TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 568 mg/m ³ Skin	Skin STEL: 563 mg/m ³ TWA: 375 mg/m ³	STEL: 200 ppm STEL: 720 mg/m ³ TWA: 100 ppm TWA: 360 mg/m ³
2-AMINOETHANOL	Skin STEL: 3 ppm STEL: 7.5 mg/m ³ TWA: 1 ppm TWA: 2.5 mg/m ³	STEL: 3 ppm STEL: 7.6 mg/m ³ TWA: 1 ppm TWA: 2.5 mg/m ³ Skin	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Skin	Skin STEL: 7.6 mg/m ³ TWA: 2.5 mg/m ³	STEL: 4 ppm STEL: 10 mg/m ³ TWA: 2 ppm TWA: 5 mg/m ³
DIPROPYLENE GLYCOL	Skin	TWA: 50 ppm	TWA: 50 ppm	TWA: 300 mg/m ³	STEL: 50 ppm

METHYL ETHER	TWA: 50 ppm TWA: 308 mg/m ³	TWA: 308 mg/m ³ Skin	TWA: 308 mg/m ³ Skin	STEL: 300 mg/m ³ TWA: 50 ppm TWA: 300 mg/m ³
--------------	---	------------------------------------	------------------------------------	--

Chemical Name	Denmark	Finland	Norway	Sweden	Czech
MONOPROPYLENE GLYCOL METHYL ETHER	TWA: 50 ppm TWA: 185 mg/m ³ Skin	TWA: 100 ppm TWA: 370 mg/m ³ STEL: 150 ppm STEL: 560 mg/m ³ Skin	TWA: 50 ppm TWA: 180 mg/m ³ Skin	50 ppm 190 mg/m ³ 75 ppm 300 mg/m ³	PEL: 270mg/m ³ NPK-P: 550mg/m ³
2-AMINOETHANOL	TWA: 1 ppm TWA: 2.5 mg/m ³ Skin	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Skin	TWA: 1 ppm TWA: 2.5 mg/m ³ Skin	3 ppm 8 mg/m ³ 6 ppm 15 mg/m ³	PEL: 2.5mg/m ³ NPK-P: 7.5mg/m ³
DIPROPYLENE GLYCOL METHYL ETHER	TWA: 50 ppm TWA: 309 mg/m ³ Skin	TWA: 50 ppm TWA: 310 mg/m ³ Skin	TWA: 50 ppm TWA: 300 mg/m ³ Skin	50 ppm 300 mg/m ³ 75 ppm 450 mg/m ³	PEL: 270mg/m ³ NPK-P: 550mg/m ³

Chemical Name	Poland	Ireland
MONOPROPYLENE GLYCOL METHYL ETHER	NDSch: 360 mg/m ³ NDS: 180 mg/m ³	TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 568 mg/m ³
2-AMINOETHANOL	NDSch: 7.5 mg/m ³ NDS: 2.5 mg/m ³	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Skin
DIPROPYLENE GLYCOL METHYL ETHER	NDSch: 480 mg/m ³ NDS: 240 mg/m ³	TWA: 50 ppm TWA: 308 mg/m ³ STEL: 150 ppm STEL: 924 mg/m ³ Skin

8.2. Exposure controls

Control parametres

Provide an eyewash station. Provide washing facilities.

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Use personal protection equipment as per Directive 89/686/EEC.

Respiratory Protection

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Conforming to EN 143 eg P2 / P3 Particle filters.

Hand Protection

Long term use eg continuous wear or immersion ;. Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Nitrile rubber (0.4 mm). PVC (0.7mm). Neoprene gloves (0.4 mm). Minimum breakthrough time of the glove material (protective index 4, breakthrough time: >120 min). For break through times, refer to glove manufacturers recommendations.

Eye Protection

Safety glasses with side-shields. Approved to EN 166. For large volumes, faceshields should be used.

General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practise. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

Appearance	Clear Light yellow	Specific Gravity	1.01
Physical State	Liquid	Solubility	Soluble in water
Odour	Slight	Autoignition Temperature	Not applicable.
pH	12	Viscosity	No information available
Melting Point/Range	No information available.	Explosive properties	No information available
Flash Point	Not relevant	Oxidizing Properties	No information available.
Evaporation Rate	No information available.	VOC Content (%)	11.6 %
Flammability Limits in Air %	Not applicable.		

Vapor Pressure No information available.
Vapor Density No information available.

9.2. Other information

No other information available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Not considered as highly reactive. See further information below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use.

10.4. Conditions to avoid

No conditions to be specially mentioned.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

None under normal storage conditions and use.

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide. Sulphur oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

The product itself has not been tested.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
MONOPROPYLENE GLYCOL METHYL ETHER	= 5000 mg/kg (Rat)	= 13 g/kg (Rabbit)	> 6 mg/L (Rat) 4 h
2-AMINOETHANOL	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	
DODECYLBENZENE SULPHONIC ACID SODIUM SALT	= 500 mg/kg (Rat)		
DIPROPYLENE GLYCOL METHYL ETHER	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	

Sensitisation

No information available.

Skin contact

May cause irritation as itching or redness.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract.

Eye contact

May cause burns which could lead to permanent eye damage.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Product Information

The product itself has not been tested.

Ecotoxicity effects

pH values above 10.5 may be fatal to fish and other aquatic organisms.

Chemical Name	Toxicity to Fish	Water Flea	Toxicity to Algae
MONOPROPYLENE GLYCOL METHYL ETHER	LC50 = 20.8 g/L Pimephales promelas 96 h	23300: 48 h Daphnia magna mg/L EC50	
2-AMINOETHANOL	LC50 = 227 mg/L Pimephales promelas 96 h LC50 = 3684 mg/L Brachydanio rerio 96 h LC50 300 - 1000 mg/L Lepomis macrochirus 96 h LC50 114 - 196 mg/L Oncorhynchus mykiss 96 h LC50 > 200 mg/L Oncorhynchus mykiss	65: 48 h Daphnia magna mg/L EC50	EC50 = 15 mg/L Desmodesmus subspicatus 72 h

	96 h		
DODECYLBENZENE SULPHONIC ACID SODIUM SALT	LC50 = 10.8 mg/L Oncorhynchus mykiss 96 h		
DIPROPYLENE GLYCOL METHYL ETHER	LC50 > 10000 mg/L Pimephales promelas 96 h	1919: 48 h Daphnia magna mg/L LC50	

12.2. Persistence and degradability

Persistence and degradability are substance specific, no test data is available on the constituents of this mixture to degrade or persist in the environment, either through biodegradation or other processes, such as oxidation or hydrolysis. The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Not likely to bioaccumulate. Component information below.

Chemical Name	log Pow
MONOPROPYLENE GLYCOL METHYL ETHER	-0.437
2-AMINOETHANOL	-1.91
DIPROPYLENE GLYCOL METHYL ETHER	-0.064

12.4. Mobility in soil

Soluble in water.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

12.6. Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty remaining contents. Clean container with water. Empty containers should be taken for local recycling, recovery or waste disposal. Recycle according to official regulations.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

07 06 01* aqueous washing liquids and mother liquors

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

SECTION 14. TRANSPORT INFORMATION

14.1, 14.2, 14.3, 14.4.

Not classified for transport as dangerous goods

14.5. Environmental hazards

The mixture is not environmentally hazardous for transport

14.6. Special precautions for user

No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Packaged product, not typically transported in IBC's.

Additional information

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

This is a detergent product and complies with the Detergent Regulation (EC) No.648/2004. . .

Labelling for contents (REGULATION (EC) No 648/2004 - 907/2006):

< 5% anionic surfactants,

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture by the supplier

SECTION 16. OTHER INFORMATION

Text of H statements mentioned in Section 3

H226 - Flammable liquid and vapour. H302 - Harmful if swallowed. H312 - Harmful in contact with skin. H314 - Causes severe skin burns and eye damage. H332 - Harmful if inhaled. H336 - May cause drowsiness or dizziness. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Calculation method. H318 - Causes serious eye damage.

Prepared By Austen Pimm

Creation Date 02/02/2015

Revision Date 21/01/2019

Revision summary

CLP update. SDS sections updated 2 15 3 16

Abbreviations

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungskategorie (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

Further Information

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet